	Application No.	Applicant(s)
Notice of Allowability	10/604,061 Examiner	SIROWATKA, JOHN Art Unit
		Artome
	Nahid Amiri	3679
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this applied or other appropriate communication GHTS. This application is subject to and MPEP 1308.	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed on 21 November 2005</u> .		
2/⊠ The allowed claim(s) is/are <u>1-8,10,12-14,16-27,37,38,40-51 and 61-91</u> .		
 3. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)	_	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 6. ☑ Interview Summary Paper No./Mail Dat 	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	
•		

DETAILED ACTION

Response to Amendment

In view of Applicant's Amendment received 21 November 2005, amendments to the claims have been entered. Claims 9, 11, and 36 are canceled. Claims 1-8, 10, 12-35, and 37-91 are pending.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Thomas Williams on December 07, 2005.

The application has been amended as follows:

Claims 15, 28-35, 39, and 52-60.

Claim 1, line 8, after "nail plate" added --having a plurality of teeth extending from a side--.

Claim 10, line 3, after "first end" added --, wherein the connector block has a recessed portion adapted to receive a portion of the first truss member when the first truss member is positioned in a folded position with respect to the connector block--.

Claim 16, line 1, "15" has been changed to --10--.

Claim 17, line 1, "15" has been changed to --10--.

Claim 19, line 1, "15" has been changed to --10--.

Application/Control Number: 10/604,061 Page 3

Art Unit: 3679

Claim 37, line 6, after "first end" added --, wherein the connector block has a recessed portion adapted to receive a portion of the first truss member when the first truss member is positioned in a folded position with respect to the connector block--.

Claim 40, line 1, "39" has been changed to --37--.

Claim 41, line 1, "39" has been changed to --37--.

Claim 43, line 1, "39" has been changed to --37--.

Claim 70, line 5, after "block" added --the intermediate member comprising a nail plate having a plurality of teeth extending from a side--.

Allowable Subject Matter

Claims 1-8, 10, 12-14, 16-27, 37-38, 40-51, and 61-91 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

With respect to claims 1-8, and 70-87, the prior art of the record does not show or suggest the nail plate having a plurality of teeth extending from a side. With respect to claims 10, 12-14, 16-27, 37-38, 40-51, 61-69, and 88-91, the connector block has a recessed portion adapted to receive a portion of the first truss member when the first truss member is positioned in a folded position with respect to the connector block.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nahid Amiri whose telephone number is (571) 272-8113. The examiner can normally be reached on 8:30-5:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on (571) 272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/604,061 Page 4

Art Unit: 3679

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

vo-

Nahid Amiri Examiner Art Unit 3679 December 08, 2005

DANIEL P. STODOLA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CONTEN 3600

Daniel P Stodola